

CERTIFICATE OF ANALYSIS

Product : AMMONIUM NITRATE
 Product number : A0501
 Batch number : 016683
 Date of production : 09-12-2021
 Date of analysis : 09-12-2021
 Date of expiry : 31-12-2026

Packaging and storage : store at room temperature in a well-closed container

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	colourless to light yellowish coloured pallets	complies		
Solubility	soluble in water			20°C / 1183 g/l
Total N-content calculated	≥ 34.9	34.957	%	w/w
Content of free ammonia	≥ 0.002	0.004	%	w/w
pH	5.0 – 6.5	6.2		10% in H ₂ O
Water insoluble	≤ 20	complies	mg/kg	w/w
Residue on ignition	≤ 20	complies	mg/kg	w/w
Chloride	≤ 2	complies	mg/kg	w/w
Iron	≤ 1	complies	mg/kg	w/w
Organic carbon	≤ 10	complies	mg/kg	w/w
Moisture	≤ 0.2	0.10	%	w/w
Assay	≥ 98.8	99.90	%	NH ₄ NO ₃ w/w


This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Approved by:

drs. M. van Wissen, pharmacist
 Department of Quality Control Duchefa B.V.

Date: 22-12-2021



The buyer is responsible to test each batch to ensure the product is suitable for its specific purpose.

Duchefa Biochemie B.V.



A. Hofmanweg 71
 2031 BH Haarlem
 The Netherlands



Postbus 809
 2003 RV Haarlem
 The Netherlands



+31-(0)23-531 90 93
 info@duchefa.nl
 duchefa-biochemie.com



KVK: 34073001
 IBAN: NL48 INGB 0651 4661 80
 BIC: INGBNL2A