

CERTIFICATE OF ANALYSIS

Product : **AGAROSE SPI**
 Product number : A1203
 Batch number : 015577
 Date of analysis : xx-03-2020
 Date of expiry : 31-03-2025

Packaging and storage : in a well closed container at room temperature


	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white, fine, homogeneous powder	complies		
Solubility	soluble in water	complies		
pH in solution		6.72		1.5% in H ₂ O
Gel strength	> 1200	1250	g/cm ²	1% in H ₂ O
Gel strength	> 2500	2825	g/cm ²	1.5% in H ₂ O
Gelling temperature	34.5 – 37.5	36.4	°C	1.5% in H ₂ O
Melting temperature	86.5 – 89.5	88.8	°C	1.5% in H ₂ O
Sulfate	< 0.2	0.088	%	
Electro endosmosis	0.09 – 0.13	0.12		
Moisture	≤ 7	5.14	%	
DNase and RNase activity	none detected	complies		

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by: drs. M. van Wissen, pharmacist
 Department of Quality Control Duchefa

Date: 20-07-2020



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.