



CERTIFICATE OF ANALYSIS

Product : **CASEIN HYDROLYSATE**
 Product number : C1301
 Batch number : 019130
 Date of production : 22-01-2025
 Date of analysis : 10-02-2025
 Date of expiry : 31-01-2030

Packaging and storage : in a well closed container, in dry conditions at room temperature

	SPECIFICATION	RESULT	UNITS	REMARKS
Description	white powder	complies		
Solubility	complete	complies		5% in H ₂ O
pH	6.5 – 7.5	7.1		5% in H ₂ O
Loss on drying	≤ 6.0	3.7	%	
Total nitrogen (TN)	12.5 – 13.5	13.1	%	
Amino nitrogen (AN)	3.0 – 4.0	3.4	%	
(AN/TN) x 100	22 – 32	26		
Residue on ignition	≤ 17.0	12.0	%	
Chloride (NaCl)	≤ 6.0	3.8	%	
Microbiology:	conform	complies		
- Total aerobic microbial count	≤ 10000	3	/g	
- Staphylococcus aureus	absence	complies	/10 g	
- Coliform count	≤ 10	< 10	/g	
- Escherichia coli	absence	complies	/10 g	
- Salmonella	absence	complies	/25 g	
- Moulds and yeasts	≤ 20	< 10	/g	

This is to certify that above mentioned product is manufactured without the use of raw materials of origin with TSE/BSE-risk. The used raw material is milk from healthy animals in the same conditions as milk collected for human consumption. It is therefore not likely to be concerned by the BSE/TSE issue.

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

Date: 05-03-2025

Q. de Hoog, MSc, pharmacist
Department of Quality Control Duchefa B.V.

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.