



CERTIFICATE OF ANALYSIS

Product : **DEXTRAN SULPHATE SODIUM**
Product number : D1342
Batch number : 019009
Date of production : xx-03-2024
Date of analysis : 27-06-2024
Date of expiry : 31-03-2027
Packaging and storage : store in a well-closed container at room temperature

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white to off-white to light yellow powder	complies		
Loss on drying	≤ 10	7.5	%	
Residue on ignition	40 – 50	43.4	%	
Clarity of solution	≤ 0.9	0.2	OD units	20% solution, 360 nm
Free inorganic sulphate	≤ 0.2	0.01	%	
pH	5.0 – 7.5	6.6		1% in H ₂ O

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

S. Bayat, MSc, pharmacist
Department of Quality Control Duchefa B.V.

Date: 16-01-2025

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.



A. Hofmanweg 71
2031 BH Haarlem
The Netherlands



Postbus 809
2003 RV Haarlem
The Netherlands



+31 (0)23-531 90 93
info@duchefa.nl
duchefa-biochemie.com



KVK: 34073001
IBAN: NL54 INGB 0651 4661 80
BIC: INGBNL2A