



## CERTIFICATE OF ANALYSIS

Product : **FERRIC-EDDHA**  
Product number : F0527  
Batch number : 015897  
Date of production : 21-05-2020  
Date of analysis : 31-01-2024  
Date of expiry : 31-01-2024

Packaging and storage : store at room temperature in a well-closed container

	<b>SPECIFICATION</b>	<b>RESULT</b>	<b>UNITS</b>	<b>REMARKS</b>
Appearance	dark red to black granules	complies		
pH	7.5 – 9.0	8.2		1% solution
Dry weight	91 – 98	94.2	%	1 g at 110° C 2 hr
Iron content	5.7 – 6.6	6.5	%	AES
Iron chelated by ortho, EDDHA	3.6 – 5.0	4.2	%	HPLC

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved  
Released by:

drs. M. van Wissen, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 28-12-2020

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.

A. Hofmanweg 71  
2031 BH Haarlem  
The Netherlands

Postbus 809  
2003 RV Haarlem  
The Netherlands

+31 (0)23-531 90 93  
info@duchefa.nl  
duchefa-biochemie.com

KVK: 34073001  
IBAN: NL54 INGB 0651 4661 80  
BIC: INGBNL2A

THT-OK