

CERTIFICATE OF ANALYSIS

Product : **GLUTATHIONE REDUCED**
 Product number : G1346
 Batch number : 016912
 Date of production : xx-09-2021
 Date of expiry : 30-09-2024

Packaging and storage : store in a well-closed container, store at room temperature

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white crystalline powder	complies		
Identification	conform	complies		HPLC
Transmittance	≥ 98	complies	%	5% solution
Specific optical rotation	-17.5 – -15.5	-16.4	°	dried substance
pH	2.5 – 3.5	complies		5% water
Enzymatic activity	≥ 98.0	complies	%	
Heavy metals	≤ 10	complies	ppm	Pb
Iron	≤ 1	complies	ppm	
Arsenic	≤ 1	complies	ppm	
Ammonium	≤ 200	complies	ppm	
Sulfate	≤ 300	complies	ppm	
Total impurities	≤ 2.0	0.46	%	HPLC
Residue on ignition	≤ 0.10	0.06	%	
Loss on drying	≤ 0.50	0.20	%	
Assay	≥ 98.0 – 101.0	99.4	%	dried substance

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist
Department of Quality Control Duchefa B.V.

Date: 28-03-2022



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.