

## CERTIFICATE OF CONTENT

Product : **MURASHIGE & SKOOG MEDIUM modification no. 4**  
Product number : M0238  
Batch number : P19897  
Quality : Duchefa  
Manufacturing date : 22-03-2022  
Expiry date : 22-03-2025

### FORMULA, INGREDIENTS PER LITER

<b>Calcium Chloride Anhydrous</b>	<b>332.02 mg/l</b>	<b>Batch number</b>	<b>: 016543</b>
<b>Magnesium Sulphate Anhydrous</b>	<b>180.54 mg/l</b>	<b>Batch number</b>	<b>: 016795</b>
<b>Potassium Dihydrogen Phosphate</b>	<b>170.00 mg/l</b>	<b>Batch number</b>	<b>: 016670</b>
<b>Potassium Nitrate</b>	<b>1900.00 mg/l</b>	<b>Batch number</b>	<b>: 016800</b>
<b>MS Micro Elements (M0301)</b>	<b>69.53 mg/l</b>	<b>Batch number</b>	<b>: P19800/P19889</b>

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 12-05-2022



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.