

## CERTIFICATE OF CONTENT

Product : MS MEDIUM SHOOT MULTIPLICATION B  
Product number : M0244  
Batch number : P20601  
Quality : Duchefa  
Manufacturing date : 09-09-2022  
Expiry date : 09-09-2025

### FORMULA, INGREDIENTS PER LITER


<b>Potassium Nitrate</b>	<b>1900.00 mg/l</b>	<b>Batch number : 017199</b>
<b>Ammonium Nitrate</b>	<b>1650.00 mg/l</b>	<b>Batch number : 016683</b>
<b>Potassium Dihydrogen Phosphate</b>	<b>170.00 mg/l</b>	<b>Batch number : 017048</b>
<b>Magnesium Sulphate Anhydrous</b>	<b>180.54 mg/l</b>	<b>Batch number : 017081</b>
<b>MS Micro Elements (M0301)</b>	<b>69.53 mg/l</b>	<b>Batch number : P20587</b>
<b>Calcium Chloride Anhydrous</b>	<b>332.02 mg/l</b>	<b>Batch number : 016955</b>
<b>LS Vitamin Mixture (L0406)</b>	<b>100.40 mg/l</b>	<b>Batch number : P19757</b>
<b>Sodium Nitrate</b>	<b>136.35 mg/l</b>	<b>Batch number : 015370</b>

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 26-04-2023



The buyer is responsible to test each batch to ensure the product is suitable for its specific purpose.