

## CERTIFICATE OF ANALYSIS

Product : **MANNITOL (D-)**  
 Product number : M0803  
 Batch number : 016488  
 Date of analysis : 27-04-2021  
 Date of expiry : 31-10-2025

Packaging and storage : in a well-closed container, protected from light

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white crystalline powder, odourless, sweet taste	complies		
Melting point	165.0 – 170.0	169	°C	
Identification: - C (IR-spectrum)	conform	complies		
Appearance of solution	clear and colourless	complies		10% in H <sub>2</sub> O
Conductivity	≤ 20.0	4.0	μS/cm	20% in H <sub>2</sub> O
Reducing sugars	≤ 0.1	0.1	%	
Related substances	conform	complies		HPLC
Loss on drying	≤ 0.5	0.2	%	
Assay	97.0 – 102.0	99.8	%	HPLC

This certificate of analysis is conform the results of the supplier.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 01-10-2021



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.



A. Hofmanweg 71  
2031 BH Haarlem  
The Netherlands



Postbus 809  
2003 RV Haarlem  
The Netherlands



+31-(0)23-531 90 93  
info@duchefa.nl  
duchefa-biochemie.com



KVK: 34073001  
IBAN: NL48 INGB 0651 4661 80  
BIC: INGBNL2A