

## CERTIFICATE OF ANALYSIS

Product : **MALTOSE**  
Product number : M0811  
Batch number : 016918  
Date of manufacturing : 23-01-2022  
Expiry date : 31-01-2025

Packaging and storage : in a well-closed container, at room temperature

	SPECIFICATION	RESULT	UNITS	REMARKS
Description	white powder	complies		
Water	≤ 7.0	5.40	%	
Residue on ignition	< 0.05	0.004	%	
pH	4.0 – 5.5	4.21		30% in H <sub>2</sub> O
Colour	≤ 0.150	0.016	%	30% in H <sub>2</sub> O
Turbidity	≤ 0.100	0.000	%	30% in H <sub>2</sub> O
Glucose	≤ 3.0	0.6	%	dried substance
Maltose	≥ 92.0	95.5	%	dried substance
Particle size	≤ 1.70	complies	mm	
Total aerobic microbial count	≤ 300	0	CFU/g	
Coliform organisms	negative	negative		


This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 31-03-2022



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.