

## CERTIFICATE OF ANALYSIS

Product : **MALTOSE**  
Product number : M0811  
Batch number : 017585  
Date of manufacturing : 22-11-2022  
Expiry date : 30-11-2025


Packaging and storage : in a well-closed container, at room temperature

	SPECIFICATION	RESULT	UNITS	REMARKS
Description	white powder	complies		
Water	≤ 7.0	5.35	%	
Residue on ignition	< 0.05	0.004	%	
pH	4.0 – 5.5	4.27		30% in H <sub>2</sub> O
Colour	≤ 0.150	0.015	%	30% in H <sub>2</sub> O
Turbidity	≤ 0.100	0.000	%	30% in H <sub>2</sub> O
Glucose	≤ 3.0	0.6	%	dried substance
Maltose	≥ 92.0	95.8	%	dried substance
Particle size	≤ 1.70	complies	mm	
Total aerobic microbial count	≤ 300	0	CFU/g	
Coliform organisms	negative	negative		

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

  
Q. de Hoog, MSc, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 21-02-2023

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.