

CERTIFICATE OF ANALYSIS

Product : **MALT EXTRACT**
 Product number : M1327
 Batch number : 016613
 Date of production : xx-04-2021
 Date of analysis : 21-06-2021
 Date of expiry : 30-04-2026

Packaging and storage : store dry at room temperature in a well closed container

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	beige powder	complies		
Solubility in water	complete	complies		3% solution
pH	4.8 – 5.8	5.5		3% solution
Loss on drying	≤ 6.0	4.8	%	
Residue on ignition	≤ 4.5	3.1	%	
Chloride	≤ 1.0	0.6	%	
Maltose	≥ 60.0	69.7	%	
Total aerobic microbial count	≤ 10000	< 4	/g	
Salmonella	absent	complies	/25g	
Escherichia coli	absent	complies	/10g	
Yeasts and moulds	≤ 20	complies	/g	

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by: drs. M. van Wissen, pharmacist
 Department of Quality Control Duchefa B.V.

Date: 24-11-2021



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.