

## CERTIFICATE OF ANALYSIS

Product : **MALT EXTRACT**  
 Product number : M1327  
 Batch number : 017978  
 Date of production : 27-03-2023  
 Date of analysis : 04-05-2023  
 Date of expiry : 31-03-2028

Packaging and storage : store dry at room temperature in a well closed container

	<b>SPECIFICATION</b>	<b>RESULT</b>	<b>UNITS</b>	<b>REMARKS</b>
Appearance	beige powder	complies		
Solubility in water	complete	complies		3% solution
pH	4.8 – 5.8	5.3		3% solution
Loss on drying	≤ 6.0	3.8	%	
Residue on ignition	≤ 4.5	3.8	%	
Chloride	≤ 1.0	0.8	%	
Maltose	≥ 60.0	64.2	%	
Total aerobic microbial count	≤ 10000	< 3	/g	
Salmonella	absent	complies	/25g	
Escherichia coli	absent	complies	/10g	
Yeasts and moulds	≤ 20	complies	/g	

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:



J. van der Eem, MSc, pharmacist  
 Department of Quality Control Duchefa B.V.

Date: 31-08-2023

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.