

## CERTIFICATE OF CONTENT

Product : **ORCHIMAX MEDIUM**  
Product number : O0257  
Batch number : P18113  
Quality : Duchefa  
Manufacturing date : 29-01-2021  
Expiry date : 29-01-2024

### FORMULA, INGREDIENTS PER LITER


<b>Ammonium Nitrate</b>	<b>825.0</b>	<b>mg/l</b>	<b>Batch number: 015441</b>
<b>Calcium Chloride Anhydrate</b>	<b>166.0</b>	<b>mg/l</b>	<b>Batch number: 015806</b>
<b>Magnesium Sulfate Anhydrate</b>	<b>90.4</b>	<b>mg/l</b>	<b>Batch number: 015702</b>
<b>Kaiser Micro Elements (DU0416)</b>	<b>1089.2</b>	<b>mg/l</b>	<b>Batch number: P15085</b>
<b>Gamborg B5 Vitamin Mixture (G0415)</b>	<b>112.0</b>	<b>mg/l</b>	<b>Batch number: P17282</b>
<b>MES</b>	<b>1000.0</b>	<b>mg/l</b>	<b>Batch number: 015196</b>
<b>Sucrose pulv</b>	<b>20.0</b>	<b>g/l</b>	<b>Batch number: 015044</b>
<b>Tryptone</b>	<b>2.0</b>	<b>g/l</b>	<b>Batch number: 015728/015823 015890</b>

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 15-03-2023



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.