

## CERTIFICATE OF ANALYSIS

Product : **PYRIDOXINE HYDROCHLORIDE**  
 Product number : P0612  
 Batch number : 015818  
 Date of production : 17-08-2020  
 Date of expiry : 31-08-2025


Packaging and storage : in a well closed container, store at room temperature

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white or almost white, crystalline powder	complies		
Identification	conform	complies		
Appearance of solution	clear and colour $\leq$ ref. sol. Y <sub>7</sub>	complies		5% in H <sub>2</sub> O
pH	2.4 – 3.0	2.7		5% in H <sub>2</sub> O
Related substances	conform	complies	%	HPLC
Heavy metals	$\leq$ 20	< 20	ppm	
Loss on drying	$\leq$ 0.5	0.05	%	105 °C
Sulphated ash	$\leq$ 0.1	0.01	%	
Assay	99.0 – 100.5	99.9	%	dried substance

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:



Date: 20-11-2020

drs. Q. de Hoog, pharmacist  
 Department of Quality Control Duchefa B.V.

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.