

CERTIFICATE OF ANALYSIS

Product : **PLANT AGAR**
 Product number : P1001
 Batch number : 017598
 Date of production : xx-12-2022
 Date of analysis : 23-12-2022
 Date of expiry : 30-11-2025

Packaging and storage : under cool and dry conditions, packages unopened

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white to yellowish white, nearly odourless powder	complies		
Solubility	insoluble in cold water, soluble in boiling water	complies		
Gel strength	≥ 1200	1230	g/cm ²	
Ash content, total ash	≤ 3	0.99	%	dried substance, 550°C
Loss on drying	≤ 15	10.8	%	
Acid-insoluble matter (ash)	≤ 1.0	< 0.5	%	
Water absorption	< 75	60	ml	
Arsenic (As)	≤ 3	< 3	ppm	
Lead (Pb)	≤ 5	< 5	ppm	
Mercury (Hg)	≤ 1	< 1	ppm	
Cadmium (Cd)	≤ 1	< 1	ppm	
Starch, gelatin and other protein	absent	nil		
Microbiology:				
-Total plate count	≤ 1000	< 1000	cfu/g	
- Escherichia coli	absent	complies	/10 g	
- Salmonella	absent	complies	/10 g	


This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist
Department of Quality Control Duchefa B.V.

Date: 20-03-2023



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.