

CERTIFICATE OF ANALYSIS

Product : **AMMONIUM DIHYDROGEN PHOSPHATE**
 Product number : A1338
 Batch number : 015393
 Date of production : 17-03-2020
 Date of expiry : 31-03-2025

Packaging and storage : store in a well-closed container

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white crystalline powder	conforms		
pH	4.0 – 4.4	4.1		
Heavy metals	≤ 0.001	< 0.0002	%	as Pb
Chloride	≤ 0.0005	< 0.0002	%	
Nitrate	≤ 0.001	< 0.001	%	
Sulphate	≤ 0.005	< 0.002	%	
Arsenic	≤ 0.00005	< 0.00005	%	
Iron	≤ 0.001	< 0.0002	%	
Sodium	≤ 0.005	0.0005	%	
Potassium	≤ 0.005	0.0005	%	
Assay	≥ 99.0	100.0	%	

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by: drs. M. van Wissen, pharmacist
Department of Quality Control Duchefa B.V.

Date: 29-04-2020



The buyer is responsible to test each batch to ensure the product is suitable for its specific purpose.

Duchefa Biochemie B.V.